

Introduction

Bacancy's BMS Pro is a cutting-edge battery management system that meets the rigorous standards of the Indian Government's AIS-156 amendment-3. This state-of-the-art system is equipped with unique and highly flexible features, making it one of the most reliable and efficient solutions for battery management needs.

One of the key advantages of BMS Pro is its exceptional security measures that help protect batteries from overcharging, over-discharging, and overheating, thereby ensuring their longevity and reliability. Moreover, BMS Pro offers advanced cell balancing features that prevent cell overvoltage or Undervoltage, which can significantly improve battery performance and lifespan


In addition, BMS Pro provides precise estimations of both state of charge (SOC) and state of health (SOH), which are essential for monitoring battery performance and predicting its life expectancy accurately. This feature can help businesses save money by avoiding premature battery replacements and ensuring optimal battery usage. BMS Pro also supports multiple communication protocols, including CAN, BLE, and 4G, making it highly versatile and compatible with a wide range of battery types and configurations.

Bacancy's BMS provides exceptional levels of performance and functionality for battery management needs in various applications. With its advanced features and capabilities, BMS Pro offers unparalleled reliability, efficiency, and flexibility, making it an ideal solution for businesses seeking to optimize battery usage and performance.



Key Features

- Cell voltage measurement accuracy of up to ±10mV
- Current measurement accuracy is up to 3% at calibration point.
- Very low quiescent current
- Passive balancing up to 150mA (scalable upon request)
- Continuous discharge current up to 60A
- SOC algorithm with OCV compensation with SOC accuracy to within ±4%
- ±2 °C accuracy in temperature measurement
- Comply with recent AIS-156 amendment-3.
- Optional support for small OLED, Buzzer, FAN, Smoke detection sensor, Ignition Signal.



Key Features

- Plug & Play support for Bacancy's Telematics
- Fully configurable parameters to support various types of cell and use cases

BACANCY

- Supporting BLE, Wi-Fi, and GSM/GPRS communication
- Non-isolated CAN communication
- Accurate estimation of SOC/SOH
- Passive Cell Balancing
- Secure MQTT feature available for cloud communication
- Firmware upgrade over the air via a cloud interface
- Alert, Fault and Diagnose Event logging

www.bacancysystems.com





Parameters	Specifications
Cells to be monitored	17s - 22s
Operating temperature	-20 to 85°C (5 to 95% RH)
Supported Cell Chemestry	NMC/NCM, LFP
Cell voltage measurement range	Up to 5V
Cell Voltage measurement accuracy	± 10mV
Cell balancing topology	Dissipative (Passive)
Operating Voltage Range	40V to 110V
Temperature sensor	4 external NTC for battery pack and 1 On-Board FET Thermistor
Charging and discharge current	Continuous 60A
Peak discharge current (30 Sec)	~80A
Active consumption	~1.02 W (With Active 4G Module + BLE + Wi-Fi)
Idle Sleep Consumption	(~0.21 W) without ignition, (~0.08 W) with ignition

Fully Discharge Sleep Consumption	~0.081 W (Both with/without Ignition type BMS)		
Communication	Wireless BLE 4.2 WiFi Non-Isolated CAN 2.0A/2.0B, GSM/GPRS interface		
Digital I/O pins	2 Output Pin For FAN and Buzzer And ADC based 1 Input Pin for Smoke sensor		
SOC, SOH calculation	Coulomb counting and OCV models		
Safety Features	Over/Under cell voltage, Over/Under temperature in charge & discharge, Over current in charge and discharge, Pack Over/Under Voltage, MOSFET failure Notification		
Dimensions (mm)	159x95x20 (L X W X H)		

systems@bacancy.com

www.bacancysystems.com



BACANCY


Applications

- Mobile & Stationary Electrical Storage Equipment
- Electric & Hybrid Electric Vehicles
- Drones, Robots, Street Lighting


Industrial & Home Storage

BACANCY


• Backup Battery Systems



System Overview



Iondash Cloud BMS Analytics



systems@bacancy.com

www.bacancysystems.com

